

Wall reinf, as spec'd
See Notes 1.

Logix ICF,
as spec'd

Dowels,
as spec'd

See
Note 2

Cast-in-place conc
slab, as spec'd

Heat-Sheet Radiant
Floor Insulation

XP-1 Curb
Block.
See Note 4.

Rigid Insulation,
as req'd

8"
8"

Logix Taper Top

LOGIX CONTINUOUS
ABOVE-GRADE

FRAMED WALL
ABOVE-GRADE

NOTES:

1. For wall reinforcement refer to the Logix Design Manual, Section 6 Engineering.
2. Bearing length varies based on Logix ICF size. Refer to Wall Chart table in Drawing 7.1, XP-1 Curb Block with Corbel Edge
3. For more information refer to Drawing 7.2, XP-1 Curb Block



www.logixicf.com
1-866-944-0153

The drawing represented herein is to be used as a reference guide only; the user shall check to ensure the drawing meets local building codes and construction practices by consulting local building officials and professionals, including any additional requirements. Logix reserves the right to make changes to the drawing without notice and assumes no liability in connection with the use of the drawing including modification, copying or distribution.

Drawing:
7.7

Date:
May 20/18

Page:
7/7

Title:

**LOGIX XP-1 CURB BLOCK
CAST-IN-PLACE SLAB-ON-GRADE**